Podešavanje e-mail pristupa na server Afrodita iz Microsoft Outlooka

Uputstvo je pravljeno na Microsoft Outlooku na kom već postoje Accounti (dodavanje), tako da ako kreirate svoj prvi Account na vašem Microsoft Outlooku, početak se može razlikovati od datog primera:




Account Settings
E-mail Accounts
You can add or remove an account. You can select an account and change its settings.
E-mail
Data Files
RSS Feeds
SharePoint Lists
Internet Calendars
Published Calendars
Address Books
New...
Repair...
Change...
Set as Default
Remove
Name
Type
Ako imate već neki accounrt definisan u Outlooku pojavit će se ovaj panel na kom izaberete kreiranje novog naloga.
Selected account delivers new messages to the following location:
Change Folder
Outlook Data File\Inbox
in data file C:\Users\jvica.LOCAL\Documents\Outlook Files\Outlook.pst


Add New Account
Choose Service
E-mail Account
Connect to an e-mail account provided by your Internet service provider (ISP) or your organization.
Text Messaging (SMS)
Connect to a mobile messaging service.
Other
Connect to a server type shown below.
Fax Mail Transport
Samo Next
< Back
Next >
Cancel


Add New Account
Auto Account Setup
Connect to other server types.
E-mail Account
Your Name:
Example: Ellen Adams
E-mail Address:
Example: ellen@contoso.com
Password:
Retype Password:
Izaberete "Manually config.."
Text Messaging (SMS)
Manually configure server settings or additional server types
Potom Next
< Back
Next >
Cancel


Add New Account
Choose Service
Internet E-mail
Connect to POP or IMAP server to send and receive e-mail messages.
Microsoft Exchange or compatible service
Connect and access e-mail messages, calendar, contacts, faxes and voice mail messages.
Text Messaging (SMS)
Connect to a mobile messaging service.
Other
Connect to a server type shown below.
Fax Mail Transport
Samo Next
< Back
Next >
Cancel


Change Account
Unasete vaše podatke u tabelu, Incoming i Outgoing unesite kako pise u ovom primeru, Account Type isto.
Internet E-mail Set
Each of these set
User Information
Your Name:
Pera Peric
E-mail Address:
pera.peric@vas_domen.rs
Server Information
Account Type:
POP3
Incoming mail server:
afrodita.rcub.bg.ac.rs
Outgoing mail server (SMTP):
afrodita.rcub.bg.ac.rs
Logon Information
User Name:
pera.peric
Password:
****
Remember password
Require logon using Secure Password Authentication (SPA)
Test Account Settings
After filling out the information on this screen, we recommend you test your account by clicking the button below. (Requires network connection)
Test Account Settings ...
Skinite ovu striklu
Klik na More settings...
More Settings ...
< Back
Next >
Cancel


Internet E-mail Settings
General
Outgoing Server
Connection
Advanced
Mail Account
Type the name by which you want to refer to this account. For example: "Work" or "Microsoft Mail Server"
pera.peric@vas_domen.rs
Other User Information
Organization:
Reply E-mail:
Klik na Outgoing Server
OK
Cancel


Internet E-mail Settings
General
Outgoing Server
Connection
Advanced
My outgoing server (SMTP) requires authentication
Use same settings as my incoming mail server
Log on using
1. Štriklirate "My outgoing server ..."
2. Kliknete na "Advanced"
OK
Cancel


Internet E-mail Settings
General
Outgoing Server
Connection
Advanced
Server Port Numbers
Incoming server (POP3):
995
Use Defaults
This server requires an encrypted connection (SSL)
Outgoing server (SMTP):
587
Use the following type of encrypted connection:
Auto
Server Timeouts
Short
Long
1 minute
Delivery
Leave a copy of messages on the server
Remove from server after
14
Remove from server when deleted from 'Deleted Items'
Popunite kao na ovom primeru.
Ako slanje maila ne funkcionise, probajte 25?!
OK
Cancel

Nakon unošenja svih podataka klik na OK do kraja. Da bi slali mail preko ovog Accounta potrebno je da kad kliknete na “New E-mail” proverite da li vam je ova e-mail adresa upisana u “From”, ako ne izaberite je iz padajućeg menia.

Napomena uz parameter na poslednjoj slici “Outgoing server (SMTP)”: Neki Internet provajderi blokiraju podrazumevajući port za slanje pošte (port 25 koii stoji u osnovnoj konfiguraciji), zato je potrebno da se tu unese port 587, postoji mogućnost (vrlo mala) da provajder baš obrnuto nema otvoren port 587, te mail neće da se ode (ostaje u Outbox-u), u tom slučaju možete probati sa portom 25?!